

#### JUSL/JRD/ENV/2025-26/04

Date: 27.05.2025

To

Deputy Director General of Forests (C) Ministry of Environment, Forest & Climate Change Regional Office (EZ) A/3, Chandrasekharpur Bhubaneswar-751023

- Sub: Half Yearly Compliance Report of Environment Clearance for the period from October, 2024 to March, 2025.
- Ref: 1. Environment Clearance vide Letter No . IA-J-11011/110/2018-IA.II(I), dated 24.05.2019 for capacity expansion of Hot Strip Mill from 1.6 MTPA to 3.2 MTPA and new installation of 0.3 MTPA Cold Rolling Mill.
  - Environment Clearance vide Letter No. IA-J-11011/110/2018-IA.II(I), dated 25.05.2018 for 1.6 MTPA Hot Strip Mill along with plate finishing shop.

Dear Sir,

With reference to the above Environment Clearances, please find enclosed herewith the half yearly compliance report for the stipulated conditions for the period from October, 2024 to March, 2025.

The soft copy of the same has also been sent to email -id roez.bsr-mef@nic.in.

Thanking You,

Yours faithfully, For Jindal United Steel Limited

Pramod Kumar Singh (Vice President - HSM)

Enc: As Above

Copy to:

1. The Zonal Officer, Central Pollution Control Board, Southern Conclave Block 502, 5th & 6th Floors, 1582 Rajdanga Main Road, Kolkata - 700107.

RCC

 The Member Secretary, SPCB, Parivesh Bhawan, A/118, Nilakahanta Nagar, UnitVIII, Odisha, Bhubaneswar-751012.

Jindal United Steel Limited

CIN : U28113HR2014PLC053875-Jajpur Office: Kalinga Nagar Industrial Complex, Duburi, Dist. Jajpur - 755 026 (Odisha), India Registered Office: O.P. Jindal Marg, Hisar - 125005 (Haryana), India T: +91 6726 266260 F: +91 6726 266006 E: info@jusl.in



# JINDAL UNITED STEEL LIMITED



# HALF YEARLY EC COMPLIANCE REPORT

## OCTOBER 2024 TO MARCH, 2025

Kalinga Nagar Industrial Complex, Duburi, Dist. Jajpur - 755026, Odisha, India



Status of Compliance report on Environment Clearance conditions for capacity expansion of Hot Strip Mill from 1.6 MTPA to 3.2 MTPA and new installation of 0.3 MTPA Cold Rolling Mill. (*Ref: IA-J-11011/110/2018-IA. II(I), dated 24.05.2019*)

#### A. Specific conditions

SI .no.	EC condition	Compliance status
i.	The CER shall be completed within a time frame of three years.	Activities under CER are undertaken. Detailed report is enclosed as Annexure – I.
li	Action plan for rainwater harvesting measures at plant sites shall be submitted to the regional office indicating quantity of rainwater to be harvested from the roof tops and storm water drains to recharge the ground water and to use for the various activities at the project site to conserve fresh water and reduce the water requirement from other sources.	The rooftop rainwater harvesting system has been installed. The harvested water is being re-utilized as raw water.
lii	The company shall establish separate environmental management cell for JSL & JCL respectively	Environment Management Cell has been established for JSL and JCL.
lv	Greenbelt shall be in area of 10 ha. Outside the factory premises and the implementation status shall be reported to the Regional Office of MoEF&CC.	Greenbelt has been developed in an area of 10 ha outside plant premises at Ambasara and Badhagaon including avenue plantation of 8000 nos. of saplings at nearby villages i.e. Nuagaon, Balungabandi, Satabainsia, Kharadi, Mangalapur villages covering an area of 12 Acres.

#### B. General condition

SI .No.	EC condition	Compliance status
I. Statut	tory compliance:	
i.	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board / Committee.	Consent to Establish (CTE) for expansion of Hot Strip Mill from 1.6 MTPA to 3.2 MTPA and installation of 0.3 MTPA Cold Rolling Mill (CRM) was obtained vide SPCB letter No. 7663/IND-II-CTE-6231, dated. 19.07.2019. The unit has obtained Consent to Operate for 3.2 MTPA HSM and 0.3 MTPA CRM valid up to 31.03.2027.
ii.	The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water	The project is not using any ground water. The water required for the process is being fulfilled from the common water reservoir of Jindal Stainless Limited. JSL is sourcing water from the River



SI .No.	EC condition	Compliance status
	required for the project.	Brahmani for which JSL has obtained permission from water resource Dept. Odisha.
111.	The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.	The plant has already obtained authorization under Hazardous and other Waste Management Rules, 2016 and amended there-off for present facilities from SPCB, Odisha, which is valid till 31.03.2027.
II. Air qu	uality monitoring and preservation:	
i.	The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31 <sup>st</sup> March 2012 (applicable to IF/EAF) as amended from time to time; S.O. 3305 (E) dated 7 <sup>th</sup> December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	The continuous emission monitoring system (CEMS) has been installed at RHF 1 & 2, Shot Blaster of PFS and Hot Pickling Line and the online data is being transmitted to both SPCB/CPCB servers. To maintain reliability and accuracy of the data, periodical calibration is being done as per guidance of instrument supplier.
ii.	The project shall monitor fugitive emission in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Fugitive emission monitoring at various locations is being carried out through NABL accredited laboratory monthly. The monitoring report is enclosed as <b>Appendix – A.</b>
iii.	The project proponent shall install system carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. $PM_{10}$ and $PM_{2.5}$ in reference to PM emission, and SO <sub>2</sub> and NOx in reference to SO <sub>2</sub> and NOx emissions) within and outside the plant area (at least four locations one within and three outside the plant area at an angle of $120^{\circ}$ each), covering upwind and downwind directions.	<ul> <li>One no. of continuous ambient air quality station has been installed in JUSL which caters the requirement of downstream installation.</li> <li>For upstream installation there are 3 stations which share the common boundary of JSL &amp; JUSL to monitor PM10, PM2.5, Sox &amp; NOx.</li> <li>All data are continuously transmitted to OSPCB &amp; CPCB</li> </ul>
		<ul> <li>and submitted to OSPCB &amp; CPCB and submitted periodically to MoEF&amp;CC.</li> <li>Both the manual and online</li> </ul>



2 9 1 1 9 9 1 1 1	The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality / fugitive emissions to the regional office of MoEF&CC, Zonal office of CPCB and	monitoring report of Stack & ambient air quality is enclosed as <b>Appendix-A</b> and <b>Appendix-B</b> respectively. Manual monitoring of Ambient Air quality / stack monitoring is being carried out on a periodical basis. The monitoring report is annexed as <b>Appendix – A</b> . The monthly summary report of
2 6 1 1 6 1 1 1	summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality / fugitive emissions to the regional office of MoEF&CC, Zonal office of CPCB and	stack monitoring is being carried out on a periodical basis. The monitoring report is annexed as <b>Appendix – A</b> . The monthly summary report of
1 r r	MoEF&CC, Zonal office of CPCB and	5 5 1
	regional office of SPCB along with six monthly monitoring report.	Continuous Ambient Air Quality monitoring data is annexed as <b>Appendix</b> – <b>B</b> .
9	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust form all vulnerable sources.	Bag filters have been installed at PFS and HPL to arrest fugitive dust emission.
	The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.	Mechanized bag cleaning facilities have been provided for maintenance of bags.
\ \	Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs regularly	02 nos. of mechanical sweepers have been engaged for road and shop floo cleaning.
	Recycle and reuse iron ore fines, coal and coke fines, lime fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting / agglomeration.	The mill scale generated from the process is being reused in briquette making at Ferro Alloys plant of JSL.
ix. t	The project proponent shall use leak proof trucks / dumpers carrying coal and other raw materials and cover them with tarpaulin.	SMS Slab is the main input material used in Hot Strip Mill, which is received from JSL through Slab Transfer Car.
X. (	The project proponent shall provide covered sheds raw materials like scrap and sponge iron, lump ore, coke, coal, etc.	SMS Slab is the main input material used in Hot Strip Mill, which is received from JSL through Slab Transfer Car and kep under shed in slab yard.
á	The project proponent shall provide primary and secondary fume extraction systems at all melting furnaces.	Fume extraction system has beer installed at all fumes generating points like HPL and PFS.
xii. [	Design the ventilation system for adequate air changes as per ACGIH document for all tunnels, motor houses, Oil Cellars.	All the ventilation systems installed on the shop floor are as per guideline.



5 5 5		
SI .No.	EC condition	Compliance status
i.	The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31 <sup>st</sup> March 2012 (applicable to IF/EAF) as amended from time to time; S.O. 3305 (E) dated 7 <sup>th</sup> December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Continuous Effluent Monitoring System has been installed at ETP of HPL for monitoring parameters like pH, TSS, and connected to SPCB/CPCB server. The online monitoring report is annexed as <b>Appendix – B</b> . To maintain reliability and accuracy of the data, periodical calibration is being done as per guidance of instrument supplier.
ii.	The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers / sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	The unit is monitoring ground water quality in core zone as well as in nearby areas by NABL accredited third party. Report is annexed as <b>Appendix – A</b> .
iii.	The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water to Regional office of MoEF&CC, Zonal office of CPCB and regional office of SPCB along with six monthly monitoring report.	The online data of effluent quality monitoring system is annexed as <b>Appendix – B</b> . The manual testing report of effluent and ground water is annexed as <b>Appendix-A</b> . Both the manual and Online monitoring data are being submitted to Regional office of MoEF&CC along with half yearly EC compliance.
iv.	Adhere to "Zero Liquid Discharge"	Effluent from HSM is being treated and reused in different low-end applications.
V.	A sewage Treatment Plant shall be provided for the treatment of domestic wastewater to meet the prescribed standards.	The Sewage generated is being transferred to STP having capacity of 35m <sup>3</sup> /day (under JSL) for treatment the sewage water generated from the plant. The quality of STP treated is being checked periodically against prescribed standard which is enclosed as Appendix-A.
vi.	The project proponent shall provide the ETP for treatment of effluents of Rolling Mills to meet the standards G.S.R 277 (E) dated 31 <sup>st</sup> March 2012 (applicable to IF/EAF) as amended from time to time.	An ETP of capacity of 350m <sup>3</sup> /day has been installed for treatment of effluent generated from Hot Pickling Line. The quality of treated effluent is being



SI .No.	EC condition	Compliance status
		monitored periodically which is enclosed as <b>Appendix – A.</b>
vii.	Garland drains and collection pits shall be provided for each stockpile to arrest the run-off in the event of heavy rains and to	The input material for Hot Strip Mill is Slab which is stored under shed.
	check the water pollution due to surface run-off.	However, separate garland drains, and storm water drains have been constructed for flow of surface runoff during monsoon.
viii.	The project proponent shall practice rainwater harvesting to the maximum possible extent.	The rooftop rainwater harvesting system has been installed. The harvested water is being re-utilized as raw.
ix.	The project proponent shall make efforts to minimize water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.	The wastewater generated from the process is being treated in WTP and reused in the process.
IV. Nois	e monitoring and prevention	
i.	Noise levels shall be carried out with the prescribed guidelines and a report in this regard shall be submitted to the Regional Officer of the Ministry as a part of sixmonthly compliance.	The noise level monitoring is being carried out periodically. The monitoring report is annexed as <b>Appendix – A</b> .
ii.	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during daytime and 70 dB(A) during nighttime.	The monitoring of ambient noise level is being carried out periodically and the monitored data is being submitted to the Regional Officer of the Ministry along with six-monthly compliance report. The monitoring data is annexed as <b>Appendix</b> – <b>A</b> .
V. Energ	gy Conservation Measures	
i.	The project proponent shall provide waste heat recovery system (pre-heating of combustion air) at the flue gases of reheating furnaces.	Pre-heating combustion air systems have been installed at both the existing and new reheating furnaces.
ii.	Practice hot charging of slabs and billets/blooms as far as possible.	Hot charging of slabs is part of the energy saving initiative which has been implemented at JUSL.
iii.	Ensure installation of regenerative type burners on all furnaces.	The Reheating Furnace installed is walking beam reheating furnace with recuperator. Recuperator is used in the reheating furnaces as a waste heat recovery unit to realize high thermal efficiency and energy conservation. The recovered waste heat is used to preheat the combustion air, which is then fed to a burner.
iv.	Provide solar power generation on roof tops	A roof top Solar plant of capacity 8.6 MW



SI .No.	EC condition	Compliance status
	of buildings, for solar light system for all common areas, streetlights, parking around the project area and maintain the same regularly.	has been installed.
V	Provide LED lights in their office and residential areas.	LED lights have been provided at al office and workplace areas as part of energy conservation measures.
/I. Was	te Management	
i.	Used refractories shall be recycled a far as possible.	Used refectories generated are being recycled through recyclers.
ii.	Oily scum and metallic sludge recovered from rolling mills of ETP shall be mixed, dried and briquetted and reused melting furnaces.	Metallic sludge recovered from rolling shop is being recycled in Briquette Plan for further reuse in Ferro Alloys Plant o JSL.
iii.	100% utilization of fly ash shall be assured. All the fly ash shall be provided to cement, and brick manufactures for further utilization and the Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office.	JUSL does not operate any power plan for its operation. The power requiremen is made by power purchase from JSL.
iv.	The waste oil, grease and other hazardous wastes like acidic sludge from pickling, galvanizing, chrome plating mills etc. shall be disposed as per the Hazardous & Other Waste (Management & Transboundary Movement) Rules, 2016. en Belt	The waste oil/grease generated is being recycled through authorized recycler.
i.	Greenbelt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guideline. The greenbelt shall inter alia cover the entire periphery of the plant.	Greenbelt has been developed inside the plant premises. The survival rate of plants is being monitored, and 1573 nos. damage plants have been replaced in FY 24-25 to maintain the tree density as per the requirement.
ii.	The project proponent shall prepare GHG emission inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.	<ul> <li>GHG inventory has been prepared for fixing baseline emission status of the plant.</li> <li>Short Term Plan: <ul> <li>Energy Efficiency in Reheating Furnaces (HSM):</li> <li>Waste Heat Recovery (Recuperators/ Regenerative Burners):</li> </ul> </li> <li>Mid-Term Plan: <ul> <li>Renewable Energy PPAs:</li> </ul> </li> </ul>
		<ul> <li>Enhanced Digitalization &amp; AI: Implement advanced AI-driven process control systems for optimal scheduling</li> </ul>



SI .No.	EC condition	Compliance status
		predictive maintenance, and real-time energy optimization across both mills. This can further reduce energy consumption and improve yield.
VIII. Pul	olic hearing and Human health issues	I
i.	Emergency Preparedness plan based on Hazard Identification and Risk Management (HIRA) and Disaster Management Plan shall be implemented.	•Emergency preparedness plan based or the Hazard identification and Risk Assessment (HIRA) has been prepared and regular mock drill being conducted for verifying effectiveness of the plan.
		•Disaster Management Plan has beer prepared in consultation with Distric Administration and has implemented fo existing operation.
ii.	The project proponent shall carryout heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protective Equipment (PPE) as per the norms of Factory Act.	Heat stress analysis at high temperature work zone has been carried out by third party and Personal Protective Equipmen (PPE) as per the norms of Factory Act is being provided to the workman.
iii.	Provisions shall be made for housing construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical healthcare, crèche etc. The housing may be in the form of temporary structures to be removed after completion of the project.	The construction phase of the project has been completed, the plant is in operation through valid CTO.
iv.	Occupation Health surveillance of the workers shall be done on a regular basis and records maintained as per the Factory Act.	Periodical health checkups of all the workers are being carried out on a periodical basis as per the Factory Act.
X. Corp	oorate Environment Responsibility	
i.	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1 <sup>st</sup> May 2018, as applicable, regarding Corporate Environment Responsibility.	The notification is superseded by MoEF& CC notification dated 30 <sup>th</sup> Septembe 2020. The issues raised during public hearing is being complied with. Progress is being reviewed tracked and implemented
ii.	The company shall have a well-laid-down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe standard operating procedures to have proper checks and balances and to bring into focus any infringements / deviation / violation of the environmental / forest / wildlife norms /	reviewed, tracked and implemented. The company is having a well-laid-dowr QEOHS Policy duly approved by the Director.



SI .N		Compliance status
	conditions. The company shall have defined system for reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the Board Resolution in this regard shall be submitted to the MoEF&CC as a part of six- monthly report.	
iii.	A separate Environment Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior executive, who will directly to the head of the organization	A separate Environment cell has been set up with skilled personnel to take care of Environment issues of plant. The Head of Environment Department directly reports to Head of the organization.
iv.	Action plan for implementing EMP and environmental conditions along with the responsibility matrix of the company shall be prepared and shall be duly approved by competent authorities. The year-wise funds earmarked for environmental protection measures shall be kept in separate accounts and not diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry / Regional Office along with the six-monthly compliance report.	Action Plan for implementation of EMP has been made and periodically reviewed. A robust environmental monitoring plan has been made for periodical monitoring of EMP. The earmarked funds for Environment protection are judiciously spent. Details are enclosed as Annexure – I.
V.	Self–environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.	Self environmental audit is being conducted regularly and any opportunity of improvement observed is being taken up with control hierarchy Third Party Audit for the year 2022-23 has been completed and reports was submitted to MOEF&CC.
vi.	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the plants shall be implemented.	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection is being implemented in the plant.
	scellaneous	Adventionment on mont of
i.	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising in at least in two local news papers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.	<ul> <li>Advertisement on grant of Environment Clearance (EC) has been published in two local news papers within seven days of grant of EC. Copy of the same has been submitted on 02.06.2019.</li> <li>Environmental Clearance is displayed at the website of the company permanently.</li> </ul>



SI .No.	EC condition	Compliance status
51.110.	ECCONDITION	Compliance Status
ii.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the day of receipt.	The copies of the environmental clearance had been submitted to the Heads of local bodies, Panchayats.
iii.	The project proponent shall upload the status of compliance of the stipulated environmental clearance conditions including results of monitored data on their website and update the same on half-yearly basis.	The Compliance status of the environment clearance conditions, and monitoring data is being uploaded on the company website and updated on half yearly basis.
iv.	The project proponent shall monitor the criteria pollutant level namely; $PM_{10}$ , $SO_2$ , NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.	1 no. of dedicated CAAQMS has been installed at M/s. Jindal United Steel Limited for monitoring of parameters like PM10, PM2.5, SO2, NOx and CO in ambient air. The Monitoring data along with the EC compliance is uploaded on the company website.
v.	The project proponent shall submit six- monthly report on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environmental clearance portal.	Six-monthly compliance report of environment clearance is being uploaded on the website of MoEF &CC.
vi.	The project proponent shall submit the environmental statement for each financial year in Form-IV to the State Pollution Control Board under the Environment (Protection). Act 1986, as amended subsequently and put on the website of the company.	Environmental statement for each financial year in Form-V is being submitted to SPCB, Odisha in due time. The last report was submitted on 28.09.2024 and also uploaded on the company website.
vii.	<ul> <li>The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.</li> <li>i. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.</li> <li>ii. The project proponent shall abide by all commitments and recommendations made in the</li> </ul>	The unit has obtained Consent to Operate for 3.2 MTPA HSM and 0.3 MTPA CRM valid up to 31.03.2027. The plant is being operated well with the stipulation made by State Pollution Control Board, Odisha. EIA/EMP and public Hearing commitment are being reviewed, tracked and implemented in a timebound manner.



SI .No.	EC condition	Compliance status
	EIA/EMP report, commitments made during Public Hearing and that during their presentation to the Expert Appraisal Committee.	
viii.	No further expansion or modifications in the plant shall be carried out prior to approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).	Any further expansion of the project will be routed in accordance with the MoEF&CC's relevant guidelines.
ix.	Concealing factual data or submission of false/fabricated data may result in the revocation of this environmental clearance and attract action under the provision of Environment (Protection). Act 1986.	All the data/information submitted is factual and correct.
Χ.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	The project proponent is implementing all the relevant conditions
xi.	The Ministry reserves the right to stipulate additional conditions if found necessary. The company in a time-bound manner shall implement these conditions.	All conditions including additiona conditions if any are being complied checked and maintained.
xii.	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities shall extend full co-operation to the officer(s) of the Regional office by furnishing the requisite data / information / monitoring reports.	All the cooperation is being extended to any statutory authorities by furnishing requisite data, information and monitoring reports.
xiii.	The above conditions shall be enforced, inter-alia under the provision of the Water (Prevention & Control of Pollution) Act, 1974, the AIR (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject Manner.	All statutory provisions under the Air Act Water Act, Hazardous waste management rule, Public liability insurance act shall be followed.
xiv.	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under the Section 16 of the National Green Tribunal Act, 2010	Any such appeal shall be routed through the NGT if any.



Status of compliance report environment clearance conditions of 1.6 MTPA Hot Strip Mill along with plate finishing (Ref: IA-J-11011/110/2018-1A II (I), dt. 25<sup>th</sup> May. 2018)

#### A. SPECIFIC CONDITIONS:

S. No.	Condition	Compliance
i.	Bag filters shall be installed to control the emissions from PFS. Online continuous monitoring systems shall be installed to monitor various pollutants and data submitted to the Ministry's Regional Office at Bhubaneswar, CPCB and OPCB. Dust suppression system shall be installed at raw material handling areas, material transfer points and solid waste dumps to control fugitive emissions. Water sprinkling shall be done on the roads to control fugitive emissions.	<ul> <li>Bag filter has been installed at the shot blaster of PFS to control any dust emission.</li> <li>Continuous Emission monitoring system has been installed and the online data is being transmitted to SPCB/CPCB server. The online data is being submitted to the Regional Office MOEF&amp;CC along with EC compliance.</li> <li>The main input material for HSM is SMS slab, which is stored under shed with concrete flooring.</li> <li>The entire internal road is concrete and mechanical road sweepers are deployed</li> </ul>
ii.	No ground water shall be used for the plant. All the treated waste water shall be recycled and reused in the process and 'Zero' discharge shall be strictly adopted as per direction of OPCB. Effluent form Hot Strip Mill shall be treated in ETP and shall be reused. TDS in the effluent shall not be more than 2100 mg/l. The domestic waste water after treatment in STP shall be used for green belt development.	for road cleaning. No ground water is being used in the plant. Effluent generating from process is being treated in ETP and the treated water is used in low-end applications. Other effluents like scale pit water/CT blow down are being treated in WTP and completely recycled back to the process. TDS in the effluent is well within the prescribed limit.
iii.	Ground water monitoring around the solid waste disposal site/ secured landfill (SLF) shall be carried out regularly and report submitted to the Ministry's Regional Office at Bhubaneswar / CPCB and OPCB.	The solid waste, namely Mill scale generated form HSM, is being stored on concrete floor and recycled in Briquette plant of JSL.
iv.	Solid waste shall be disposed of in secured landfill designed as per the specifications of the CPCB. Mill scale from Hot Strip Mill (HSM) shall be sold to the parent company (JSL) for recycling.	Mill scale generated from HSM is being stored on concrete floor and recycled in Briquette Plant for further use in Briquette plant of JSL.



S. No.	Condition	Compliance
V.	Green belt shall be developed within and around the plant premises as per the CPCB guidelines in consultation with DFO.	Green belt has been developed in and around the plant.

#### **B. GENERAL CONDITIONS:**

S. No.	Condition	Compliance
i.	The project authorities must strictly adhere to the stipulations made by the Orissa Pollution Control Board (OPCB) and the State Government.	JUSL is strictly adhering to the stipulations made by SPCB and the State Government.
ii.	No further expansion or modifications in the plant should be carried out without prior approval of the Ministry of Environment and Forests.	Any further expansion of the project will be routed in accordance with the MoEF&CC's relevant guidelines.
111.	The gaseous emissions from various process units shall conform to the load/ mass-based standards notified by this Ministry on 19 <sup>th</sup> May, 1993 and standards prescribed from time to time. The state board may specify more stringent standards for the relevant parameters keeping in view the nature of the industry and its size and location. At no time, the emission level shall go beyond the prescribed standards. On-line continuous monitoring system shall be installed in stacks to monitor SPM and interlocking facilities shall be provided so that process can be automatically stopped in case emission level exceeds the limit.	The gaseous emissions from various process units are being monitored by NABL accredited third party Laboratory. The analysis reports are being submitted to SPCB and MoEF&CC regularly. Online continuous emission monitoring systems have been installed and online data is being transmitted to SPCB/CPCB server.
iv.	At least four ambient air quality- monitoring stations shall be established in the downward direction as well as where maximum ground level concentration of SPM, SO <sub>2</sub> and NO <sub>x</sub> is anticipated in consultation with the OPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Bhubaneswar/ OPCB/ CPCB once in six months.	<ul> <li>One no. of continuous ambient air quality station has been installed in JUSL which caters the requirement of downstream installation.</li> <li>For upstream installation there are 3 stations which share the common boundary of JSL &amp; JUSL to monitor PM10, PM2.5, Sox &amp; NOx.</li> <li>All data are continuously transmitted to OSPCB &amp; CPCB and submitted periodically to MoEF&amp;CC.</li> <li>Both the manual and online monitoring report of Stack &amp; ambient</li> </ul>



6. No.	Condition	Compliance
		air quality is enclosed as <b>Appendix-</b> <b>A</b> and <b>Appendix-B</b> respectively.
V.	In-plant control measures for checking fugitive emissions from all the vulnerable sources of the Hot Strip Mill area shall also be provided. Fugitive emissions shall be controlled, regularly monitored and records maintained.	Fugitive emission monitoring is being carried out on a regular basis and reports are submitted regularly. The monitoring report is annexed as <b>Appendix – A</b> .
vi.	Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 <sup>th</sup> May 1993 and 31 <sup>st</sup> December 1993 or as amended from time to time. The wastewater treated shall be utilized for plantation purpose.	Industrial wastewater is treated to conform to prescribed standards after treatment in ETP. The treated water is being reused in different low-end applications. Scale pit water and CT blow down are being treated in WTP and recycled back to the process.
vii.	The overall noise levels in and around the plant area shall be kept within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EIA Rules, 1989 viz. 75 dBA (daytime) and 70 (dBA) nighttime.	Adequate measures have been taken to keep noise levels within 85 dB(A) in and around plant area. Silencers, Acoustic enclosures are provided to control noises in various areas of the Plant. The Ambient Noise levels are conforming to the standards prescribed under EPA Rules, 1989. Noise monitoring results are enclosed as
viii.	The company shall develop surface water harvesting structures to harvest the rainwater for utilization in the lean season	Appendix-A.
ix.	besides recharging the ground water table. Occupational Health Surveillance of the workers shall be done on a regular basis and record maintained as per the Factories Act.	Annual health checks of workers are being carried out and records are being maintained.
Х.	Recommendations made in the CREP guidelines issued for the steel plants shall be implemented.	CREP guidelines are being followed.
xi.	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/ EMP report for Hot Strip Mill.	The Plant has taken all the environmenta protection measures and safeguards recommended in the EIA/EMP report. The details are enclosed as Annexure –I.
xii.	The project authorities shall utilize Rs. 4 Crores earmarked for the environment	The unit had utilized the earmarked fund fo environment protection towards installatior



6. No.	Condition	C	ompliance			
	pollution control measures judiciously to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the	of air and water treatment facilities generating greenery. In addition to tha spent Rs. 12.57 crores towards pollution control measures during FY 23 -24.				
	implementation schedule for all the conditions stipulated herein. The funds	the Cost estimation of pollution control i nds (Rs. Crores)				
	provided shall not be diverted for other purpose.	Description	during	2023-24		
			Capital	Operational		
		Air Pollution Control	0.035	4.27		
		Water Pollution Control	3.66	4.05		
		Hazardous Waste Management	-	0.25		
		Greenbelt development	0.16	0.15		
		Total	3.85	8.72		
	the stipulated conditions. A six-monthly	Regional Offices	of Ministry	regularly. Co		
xiv.	compliance report and the monitored data along with statistical interpretation shall be submitted to them regularly. The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the OPCB/ Committee and may also be seen at the Website of the Ministry Of Environment and Forests at http/envfor.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the regional Office.	of the report ha regional offices of Advertisement of Clearance (EC) local newspape grant of EC.	of Ministry as been su of CPCB and on grant o had been p rs within s	Ibmitted to th d OSPCB. If Environme ublished in tw seven days		
xiv.	compliance report and the monitored data along with statistical interpretation shall be submitted to them regularly. The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the OPCB/ Committee and may also be seen at the Website of the Ministry Of Environment and Forests at http/envfor.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be	of the report ha regional offices of Advertisement of Clearance (EC) local newspape	of Ministry as been su of CPCB and on grant o had been p rs within s rs within s tained Cons ISM and 0.	regularly. Co bmitted to th OSPCB. If Environme ublished in tw seven days		



S. No.	Condition	Compliance
	above conditions is not satisfactory.	
xvii.	The Ministry reserves the right to stipulate additional conditions if found necessary. The company in a time-bound manner will implement these conditions	Ŭ I
xviii.	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management & Handling) Rules, 2016 and the Public (Insurance) Liability Act, 1991 along with their amendments and rules.	All relevant statutory provisions under the Air Act, Water Act, Hazardous waste management rule, public liability insurance act are being followed.

## Jindal United Steel Limited - CER Compliance Report

Timeline for Execution (Physical Target)								
CER ACTIVITIES (Public	0-12	13 – 22	TOTAL	Status as on date	Amount spent			
Hearing Issues)	months	months		_	(Rs. In Lakh)			
	•	enditure Pla						
		(Rs. in Lakh	1)					
Local Livelihood Program								
3 Blocks (Danagadi, Sukinda & Jajpur Road).	85	80	165.00	<ul> <li>Fowards women empowerment         <ul> <li>Promoted 200 women self help groups of 30 nos, villages from Danagadi and Sukinda Blocks in which 3240 women members are associated with our inhouse team and improving their socioeconomic status through various skill development training and bank credit facilitation.</li> <li>Establishment of ASMITA production center, Sahaja Sanitary Napkin Making unit, Boutique centers at Danagadi and Sukinda Blocks.</li> </ul> </li> <li>Towards farmers development program Assistance provided to more than 1500 farmers directly and more than 20,000 nos. farmers through OLM in 4 blocks of Jajpur district.</li> </ul>	140			
				<b>Towards community health care.</b> Cataract operation of 475 senior citizens, club foot treatment of 25 children at Jajpur Dist. Awareness program for TB, long disease, malaria and HIV/AIDS is conducted in 5 villages				

				of Danagadi Block.	
				Towards education and skill development	
				<ul> <li>Facilitating trained teachers for giving training on computer education, retail management, computer hardware, networking, electrical etc. to 4000 youths of Kalinganagar.</li> <li>Providing assistance for full time football coaching to 05 tribal children of Danagadi and Sukinda at New Delhi.</li> </ul>	
Local Infrastructure Developm	ent Progra	m		·	
Construction of 4 Community Centers located within 3 Blocks of Danagadi, Sukinda & Jajpur Road	26	26	52.00	Community center construction at Tikara and Damodarpur village of Danagadi block and Dhuligarh has been completed.	59
Drinking Water					
Pipeline, pump house and Borewell with Solar Power at Rampillo, Manpur Brahman Sahi, Pingal & Pankapal Sasan	58	-	58.00	Pipeline laying work with pump house and bore well with electrification has been completed at Manpur, Sulia, Pingal, Bengapatia and Kantipur village. Other villages are developed through Government Scheme under BASUDHA Yojana.	45
Cleaning of Ponds in 22 villages in blocks of Danagadi, Sukinda & Jajpur Road	19	-	19.00	Pond cleaning work has been completed at 10 nos of villages, namely Marutikar, Mantira, Jajpur road, Dala, Chorda etc. 2 Ponds have identified for cleaning and beautification at Umapada and Bhatika.	20
Community Environmental Pro	tection Pr	ogram			

Air and Water Monitoring in Buffer Zone especially in Vyasanagar Municipality Area & New Market of Jajpur Roadblock and villages of Nuagaon, Jakhpura, Solei and Danagadi.	40	-	40.00	Third Party monitoring in buffer zone is being conducted periodically. However, a detailed comprehensive study on air and water quality has been conducted in 2020 as a part of EMP study.	20
Water Sprinkling in surrounding areas	12	-	12.00	Water Sprinkling being carried out at Manpur village, common corridor of JSL boundary. The amount of Rs. 5 Lakhs have been given to KNDC for water sprinkling and other development works.	10
Education		I	1		
Providing Tuition Teachers & Salary teachers for specific requirements of schools in nearby villages like Kumbhiragadia, Danagadi and Jakhpura located within the blocks of Danagadi and Jajpur Road	5	5	10	Teacher along with salary given to the schools available at Danagadi and Trijanga.	10
Boundary Wall for Nodal Upper Primary School at Trijanga	9.5	-	9.50	The Boundary Wall for Nodal Upper Primary School at Trijanga has been completed.	10
Health					
Upgradation and replacement of medical equipment at CHC of Danagadi	40	-	40.00	Upgradation and replacement of medical equipment at CHC of Danagadi has been completed.	34
Provision of a DG Set & Beds in PHC OF Pachhikot	5.5	-	5.50	Provision of a DG Set & Beds in PHC OF Pachhikot and korei is completed.	11

Health Camps within blocks of Danagadi and Jajpur Road.	25	-	25.00	Health Camps within block of Danagadi have been completed twice.	20
Local Skill 7 Vocational Training	ng Program	n	1		
Provision of local skills and vocational training programme in nearby villages like Solei and Danagadi within the block of Danagadi	10	5	15.00	Provision of local skill and vocational training programs is being conducted in nearby villages periodically.	12
Avenue/Urban Plantation	1		1		
Urban Plantation within the blocks of Danagadi & Jajpur Road	10	10	20.00	Urban roadside Plantation of 8000 nos. of tree at villages Nuagaon, Mangalpur, Kharadi, Balungabandi, Satabainsia	18
Free Sapling to local villages within the blocks of Danagadi & Jajpur Road	3	2	5.00	10000 nos. of free sapling have been provided to Forest Department	5
Total	•		476		414

#### DETAILS OF THE COST TO BE INCURRED UNDER CER WITH REGARD TO NEEDS ASSESSMENT

CER ACTIVITIES (PH ISSUES)	0-12 months	13 – 22 months	TOTAL	Status as on date	Amount spent (Rs. In Lakh)	
	montilo	(Rs. in	Lakh)			
Local Skill & Vocational Train	ing Progr					
Vocational and Skill Development Training for women and girls in Mangobindapur, Saranapur, Danagadi and Kacherigan.	6	4	10.00	Vocational and Skill Development Training for women and girls in nearby village is being regularly conducted, Entrepreneurship development Programme in Danagadi.	9	
Local Infrastructure Developr	nent Prog	ram				
Improvement in Road Conditions in consultation with local administration in villages of Solei and Mangobindapur	12	12	24.00	RoadrepairingworkiscompletedtoMangobindpur toBengapatia at stretch of 500mt.Concrete road iscompleted at Pankpal.	20	
	1		Additional Issues	addressed in CER		
Construction of Shiva Temple (Bagei Biswswar temple) in Village Balungabandi				Construction of Shiva Temple in balungabandi Village has been completed	32	
Jagya Mandap at Nohuranipasi				Jagya Mandap at Nohuranipasi work Completed	6	
Danagadi Saraswati Sisu Mandir Classroom and Toilet				The classroom and toilet of Sisumandir at Danagadi have been completed.	10	
Hudisahi temple				Thakursala at hudisahi trijanga colony has been completed.	5	
NUAGAON sai Temple				Sai temple at nuagaon has been completed	7	
Brahmakumari Ashram at Patia, Bhubaneswar				Development work carried out at patia brahmakumari Ashram	1	
Batamangala Mandap at Puri				Construction of Mandap at batamangala, Puri has been completed	15	
Saraswati Sisu Mandir Classroom at toilet at Mantira				Construction of 3 classrooms at Sisu mandir at Mantira has been completed	15	
Classroom at Marutikar primary School				Construction of the classroom at Marutikar Primary School has been completed.	10	

Brahmakumari Ashram at		Funds Donated to Brahmakumari ashram	8
Anandpur		Anandpur for the construction of Hall	0
Khudurukuni Puja Hall at		Construction of khudurukuni Puja Hall at	7
Ostapal		Ostapal has been completed	I
Development at Jakhapura		Construction of office and dining hall at	
Jagannath Temple		Jagannath temple of Jakhapura has been	20
		completed	
Development at Mantira		Coloring of Jagannath temple at Mantira has	8
Jagannath Temple		been completed	0
Temple at Khandurai		Construction of Khadurai temple at	5
		asanabahali has been completed	5
Puja Mandap at Danagadi		Construction of Puja mandap at Danagadi has	12
		been completed	١Z
Total	34.00		190.00



Appendix - A

### **INDEX**

- A. Stack Analysis
- B. Ambient Air Quality
- C. Noise Monitoring
- D. Treated Effluent Quality
- E. Fugitive Air Emission



### A. Stack Analysis:

#### Particulate Matter (PM):

		Concentration of Particulate						(mg/Nm <sup>3</sup> )		
SI. No.	Sampling Stations	Oct24	Nov-24	Dec-24	Jan-25	Feb25	Mar25	Permissible limit		
1	HSM (Re – Heating Furnace#1)	22.5	12.4	16.5	*	*	*			
2	HSM (Re – Heating Furnace#2)	24.8	16.9	19.6	24.1	21.9	18.4			
3	PFS shot blaster#1	16.8	12.7	16.9	19.3	18.1	16.3	100		
4	PFS shot blaster#2	15.3	11.5	18.8	15.6	21.7	18.5			
5	HPL shot Blaster	11.9	14.5	22.7	21.1	23.7	20.7			

\* Units not in operation

Sulphur Dioxide (SO2):

	Sampling	Sulphur Dioxide (mg/Nm <sup>3</sup> )								
Sl. No.	Sampling Stations	Oct24	Nov-24	Dec-24	Jan-25	Feb25	Mar25	Permissible limit		
1	HSM (Re – Heating Furnace#1)	10.1	8.8	10.2	*	*	*	200		
2	HSM (Re – Heating Furnace#2)	16.4	18.2	13.2	21	17	24	300		

\* Units not in operation

#### Oxide of Nitrogen (NOx):

			Oxide of Nitrogen (mg/Nm <sup>3</sup> )									
Sl. No.	Sampling Stations	Oct24	Nov-24	Dec-24	Jan-25	Feb25	Mar25	Permissible limit				
1	HSM (Re – Heating Furnace#1)	48.8	38.2	58.4	*	*	*	1000				
2	HSM (Re – Heating Furnace#2)	53.7	44.8	66.6	76	89	48	1000				

\*Units not in operation



### **B. Ambient Air Monitoring Report:**

#### AAQ near PFS Scrap Yard (In side plant)

CL No.	Parameters				Re	sults		
Sl. No.	(µg/Nm3)	Oct24	Nov-24	Dec-24	Jan-25	Feb25	Mar25	Permissible limit
1	PM10	89.6	88.6	87.3	84.5	83.9	86.8	100(24 Hrs)
2	PM <sub>2.5</sub>	39.5	38.2	36.6	36.4	35.2	36.1	60 (24 Hrs)
3	SO <sub>2</sub>	30.1	28.6	26.2	25.8	24.8	25.2	80(24 Hrs)
4	NO <sub>x</sub>	19.4	17.9	20.3	22.1	22	22.6	80(24 Hrs)
5	СО	0.85	0.84	0.88	0.82	0.80	0.85	2 (8 Hrs)
<b>NB:</b> Parameters such as Lead, Ozone, Ammonia, Benzene, Benzopyrene, Arsenic & Nickel found to be below detection limit (BDL).								

#### AAQ near HSM Utility (Inside plant)

Sl.					Results	5		
No.	Parameters	Oct24	Nov-24	Dec-24	Jan-25	Feb25	Mar25	Permissible limit
1	PM <sub>10</sub> μg/m <sup>3</sup>	81.9	79.6	75.6	73.3	75.2	79.4	100(24 Hrs)
2	PM <sub>2.5</sub> μg/m <sup>3</sup>	30.8	29.7	28.2	26.5	25.8	26.2	60 (24 Hrs)
3	SO <sub>2</sub> μg/m <sup>3</sup>	24.4	23.2	20.2	19.1	18.6	19.8	80(24 Hrs)
4	$NO_x \mu g/m^3$	14.8	16.1	13.5	12.4	13.7	15	80(24 Hrs)
5	CO mg/m <sup>3</sup>	0.72	0.78	0.60	0.65	0.68	0.74	2 (8 Hrs)

**NB:** Parameters such as Lead, Ozone, Ammonia, Benzene, Benzopyrene, Arsenic & Nickel found to be below detection limit (BDL).

### AAQ near Jakhapur Village (Buffer Zone)

				Results					
Sl. No.	Parameters	Nov-24	Jan-25	Feb25	Mar25	Permissible limit			
1	$PM_{10} \mu g/m^3$	72.2	74.4	70.8	73.4	100(24 Hrs)			
2	$PM_{2.5}  \mu g/m^3$	25.6	26.1	23.4	26.4	60 (24 Hrs)			
3	$SO_2 \mu g/m^3$	17.4	18.2	17.8	18.3	80(24 Hrs)			
4	$NO_x \mu g/m^3$	13.2	11.8	11.4	14.6	80(24 Hrs)			
5	CO mg/m <sup>3</sup>	0.42	0.32	0.4	0.4	2 (8 Hrs)			
NB: Parar	<b>NB:</b> Parameters such as Lead, Ozone, Ammonia, Benzene, Benzopyrene, Arsenic & Nickel found to be								
below det	ection limit (BDL)								



## **C. Noise Monitoring Report:**

#### i. Ambient Noise Monitoring Data

						Noi	se Leve	l( Leq ir	dB(A)				
Sl.	Location	Oct	<b>:24</b>	Nov	Nov24		Dec24		Jan25		-25	Mar25	
No.	2000000	Day TIME	NIGHT TIME										
1	At Admin. Building	71	57.2	71.7	56.9	69.9	58.2	71	56.5	71.2	56	73.2	56.4
2	Near HSM Utility Store-2	69.8	56.4	70.2	55.1	67.4	55.4	70.6	56.2	71	55.8	72.1	54.8
	rmissible nit (dB(A))	75	70	75	70	75	70	75	70	75	70	75	70

#### ii. Ambient Noise Monitoring Report (Buffer Zone)

SI. No.		Noise Level( Leq in dB(A)								
	Location	Jan	25	Feb	25	Mar25				
110.		Day TIME	NIGHT TIME	Day TIME	NIGHT TIME	Day TIME	NIGHT TIME			
1	Jakhapura Village	53.2	42.6	50.6	41.5	49.1	40.7			
	Permissible limit	55 dB(A)	45 dB(A)	55 dB(A)	45 dB(A)	55 dB(A)	45 dB(A)			

#### iii. Work Zone Noise Monitoring Data

				Noise	Level ( Le	q in dB(A	A)	
Sl. No.	Location	0ct 24	Nov- 24	Dec-24	Jan-25	Feb 25	Mar 25	Permissible limit
1	Near Adm. office	79.1	78.2	79.9	75.6	78.3	79.6	
2	Finish Mill Operation pulpit	58.3	72.6	75.1	68.2	65.3	70.9	
3	ECR office , PFS	61.5	65.3	62.8	77.4	71.6	70.5	
4	PFS Office	72.5	68.3	62.8	66.7	77.9	72.3	85 dB(A)
5	Inspection Office	76.2	78.1	69.3	72.8	74.2	73.1	
6	Annealing Furnace Pulpit	68.9	76.1	70.3	69.5	79.7	76.6	



## iv. Shop Floor Noise Monitoring Report

				Noise	Level ( L	eq in dB(/	A)	
Sl. No.	Location	Oct'24	Nov'24	Dec'24	Jan'25	Feb'25	Mar'25	Permissible limit
1	Near Roughing Mill	82	81.4	82.3	78.9	81.9	84.6	
2	Near Re heating Furnace	80	81.8	80.6	79.2	82.9	79.4	
3	Near PFS area	79.2	79.7	80.2	79.8	80.6	81.2	
4	Near Pump house	79.6	80.4	80.5	79.2	82.4	80.1	-
5	Near Slab Yard	80.4	81.5	83.8	80.8	79.7	80.2	
6	Near Down Coiler	81.7	81.8	80.3	80.1	84.3	81.9	
7	Dispatch Section, PFS	78.6	82.6	83.1	76.1	74.6	72.9	



## D. Treated Effluent Quality at HSM ETP - Outlet:

SI. No.	PARAMETER	Norm as per G.S.R. 422 (E)(Inland Surface	Oct-24	Nov-24	Dec-24	Jan-25	Feb-25	Mar-25
NO.		water)/CTO	Date of Sampling – 09.10.2024	Date of Sampling – 16.11.2024	Date of Sampling – 28.12.2024	Date of Sampling – 21.01.2025	Date of Sampling – 25.02.2025	Date of Sampling – 31.03.2025
1	Color	-	Colourless	Colourless	Colourless	Colourless	Colourless	Colourless
2	Suspended Solid, mg/l	100	72.4	92.4	76.5	89.7	92.3	90.3
3	Total Dissolved Solids, mg/l	2100	1184.8	1284.2	1104	1238.4	1362.4	1387.9
4	pH Value	5.5 to 9.0	8.4	8.3	8.7	8.8	8.6	8.4
5	Oil & grease, mg/l	10	5.4	4.6	5.8	<5.0	<5.0	5.3
6	Total Res. Chlorine, mg/l	1	BDL (DL- 0.1)					
7	BOD (3 days at 27ºC), mg/l	30	13.2	10.6	10	11.2	10.8	11
8	COD, mg/l	250	50.7	44.2	47.8	78.6	50.6	52.2
9	Hexavalent chromium (as Cr <sup>6+</sup> ), mg/l	0.1	BDL (DL- 0.01)	0.06	BDL (DL- 0.01)	0.04	0.04	0.06
10	Cyanide (as CN), mg/l	0.2	BDL (DL- 0.02)					
11	Fluoride (as F), mg/l	2	1.6	0.6	0.6	1.2	1	1.1
12	Sulphide (as S) mg/l	2	BDL (DL- 1.0)					



13	Phenol (as $C_6H_5OH$ ), mg/l	1	BDL (DL- 0.05)					
14	Iron (as Fe), mg/l	3	0.78	1.1	1.5	1.6	1.3	(DL- 0.05) 1.9
15	Nitrate Nitrogen, mg/l	10	6.9	4.8	5.2	4.6	3.8	4
16	Dissolved Phosphate, mg/l	5	1.1	1.2	2.2	2.6	2.2	2
17	Arsenic, mg/l	0.2	BDL (DL- 0.004)	BDL (DL- 0.004)	BDL (DL- 0.004)	BDL (DL- 0.004)	BDL (DL- 0.004)	BDL (DL- 0.004)
18	Lead, mg/l	0.1	BDL (DL- 0.01)					
19	Zinc, mg/l	5	BDL (DL- 0.01)					
20	Mercury, mg/l	0.01	BDL (DL- 0.004)					
21	Total Chromium, mg/l	2	1	1	1	1.2	0.9	1
22	Copper, mg/l	3	BDL (DL- 0.02)					
23	Nickel, mg/l	3	BDL (DL- 0.05)					
24	Manganese, mg/l	2	BDL (DL- 0.05)					
25	Vanadium, mg/l	0.2	BDL (DL- 0.2)					
26	Selenium, mg/l	0.05	BDL (DL- 0.001)					
27	Ammonical Nitrogen, mg/l	50	6.5	5.3	7	6.7	6.8	6.6
28	Total Kjeldahl Nitrogen, mg/l	100	18.9	16.8	12.5	16.2	14.2	15.3
29	Free Ammonia, mg/l	5	BDL (DL- 0.01)					



#### D. Treated Sewage water quality:

Sl. No.	Parameter	СТО	Mar - 2025 Date of Sampling – 31.03.2025
1	рН	6.5-9.0	6.8
2	Suspended Solid, mg/l	100	9.4
3	Biochemical Oxygen Demand (3 days @27°C), mg/l	10.0	5.7
4	Fecal Coliform, MPN/100ml	<1000	242.0

### E. Fugitive air Emission

		Concentration of Total Particulate Matter (TPM) in $\mu g/m^3$									
SI. No.	Sampling Stations	Oct24	Nov-24	Dec-24	Jan-25	Feb25	Mar25	Permissible limits			
1	Near PFS Shot Blaster	734.2	715.6	714.0	624.9	722.0	685.0				
2	Near HPL Shot Blaster	687.6	692.3	754.0	587.7	683.0	589.0	-			



Appendix - B

# Online Monitoring Report for the Period October - 2024 to March-2025

## **INDEX**

- A. Continuous Ambient Air Quality Monitoring Report
- B. Continuous Emission Monitoring Report
- C. Effluent Quality Monitoring Report



### A. Continuous Ambient Air Quality Monitoring System (CAAQMS) report:

#### **Location - Near Nursery**

				Average concentration				
Sl. No.	Parameters	0ct'24	Nov'24	Dec'24	Jan'25	Feb'25	March'25	Permissible limits as per SPCB
1	PM <sub>10</sub> (μg/m <sup>3</sup> )	68.99	81.36	51.96	61.36	60.24	51.21	100(24 Hrs)
2	PM <sub>2.5</sub> (μg/m <sup>3</sup> )	33.82	51.23	30.70	39.13	27.14	30.77	60 (24 Hrs)
3	$SO_2(\mu g/m^3)$	8.69	6.98	15.01	18.66	28.46	33.19	80(24 Hrs)
4	$NO_x (\mu g/m^3)$	15.72	15.78	15.74	15.71	15.63	15.39	80(24 Hrs)
5	CO (mg/m <sup>3</sup> )	0.23	0.24	0.39	0.91	0.37	0.12	02 (08 Hrs)

#### Location - Near Security Barrack

	Monthly Average concentration							
Sl. No.	Parameters	0ct'24	Nov'24	Dec'24	Jan'25	Feb'25	March'25	Permissible limits as per SPCB
1	PM <sub>10</sub> (μg/m <sup>3</sup> )	54.53	69.98	44.60	47.74	45.95	68.86	100(24 Hrs)
2	$PM_{2.5} (\mu g/m^3)$	19.29	27.20	25.86	34.71	31.17	35.74	60 (24 Hrs)
3	$SO_2 (\mu g/m^3)$	25.75	34.96	25.00	21.37	15.54	13.64	80(24 Hrs)
4	$NO_x (\mu g/m^3)$	10.41	12.10	14.86	14.68	14.88	14.87	80(24 Hrs)
5	CO ( <sub>mg</sub> /m <sup>3</sup> )	0.30	0.42	0.40	0.48	0.32	0.31	02 (08 Hrs)



		ncentratio	n					
Sl. No.	Parameters	0ct'24	Nov'24	Dec'24	Jan'25	Feb'25	March'25	Permissible limits as per SPCB
1	PM <sub>10</sub> (μg/m <sup>3</sup> )	92.91	98.64	89.50	65.67	57.77	82.24	100(24 Hrs)
2	PM <sub>2.5</sub> (μg/m <sup>3</sup> )	27.26	40.37	52.06	24.76	44.36	41.93	60 (24 Hrs)
3	$SO_2(\mu g/m^3)$	44.04	45.95	46.67	47.71	49.00	51.90	80(24 Hrs)
4	$NO_x (\mu g/m^3)$	21.74	21.86	21.73	21.46	21.33	21.31	80(24 Hrs)
5	CO (mg/m <sup>3</sup> )	0.65	0.82	0.96	0.93	0.73	0.72	02 (08 Hrs)

#### Location - Near Tata Corner

				Average co	verage concentration				
Sl. No.	Parameters	0cť24	Nov'24	Dec'24	Jan'25	Feb'25	March'25	Permissible limits as per SPCB	
1	PM <sub>10</sub> (μg/m <sup>3</sup> )	-	95.73	92.88	92.43	67.80	66.39	100(24 Hrs)	
2	PM <sub>2.5</sub> (μg/m <sup>3</sup> )	33.13	50.03	29.66	39.27	21.12	34.15	60 (24 Hrs)	
3	$SO_2(\mu g/m^3)$	43.53	48.00	45.45	47.02	51.09	55.37	80(24 Hrs)	
4	NO <sub>x</sub> (µg/m <sup>3</sup> )	11.14	11.20	11.26	11.14	11.01	10.72	80(24 Hrs)	
5	CO (mg/m <sup>3</sup> )	0.28	0.38	0.43	0.48	0.35	0.31	02 (08 Hrs)	

Location - Near PFS Scrap yard



		Monthly Average concentration								
Sl. No.	Parameters	0ct'24	Nov'24	Dec'24	Jan'25	Feb'25	March'25	SPCB           100(24           Hrs)           60 (24 Hrs)           80(24 Hrs)		
1	PM <sub>10</sub> (μg/m <sup>3</sup> )	84.79	92.83	89.76	96.16	57.81	84.16			
2	PM <sub>2.5</sub> (μg/m <sup>3</sup> )	50.89	54.72	23.51	31.62	66.07	36.95	60 (24 Hrs)		
3	$SO_2(\mu g/m^3)$	14.30	14.25	30.17	15.34	-	12.75	80(24 Hrs)		
4	$NO_x(\mu g/m^3)$	8.57	8.63	8.57	7.97	8.70	8.11	80(24 Hrs)		
5	CO (mg/m <sup>3</sup> )	0.78	0.55	0.56	0.66	0.52	0.49	02 (08 Hrs)		

## B. Continuous Emission Monitoring System (CEMS) report:

			Monthly Average Concentration of PM, SO <sub>2 &amp;</sub> NO <sub>x</sub> (mg/Nm <sup>3</sup> )							
SI. No.	Sampling Stations	Parameters	Oct'24	Nov'24	Dec'24	Jan'25	Feb'25	March'2 5	Permissible limits as per SPCB	
		РМ	19.67	20.86	25.36	*	*	*	100	
1		SO <sub>2</sub>	26.39	26.54	27.03	26.00	25.30	-	300	
	RHF-1	NOx	7.43	7.41	6.87	16.53	18.74	52.93	1000	
		РМ	26.52	20.57	16.68	16.27	16.24	16.05	100	
2		SO <sub>2</sub>	14.28	10.87	27.33	38.22	48.42	13.78	300	
	RHF-2	NOx	11.03	16.97	92.11	119.41	113.79	20.27	1000	
3	Shot Blaster	РМ	15.86	15.89	16.28	16.18	16.23	16.41	100	



4	HPL Shot Blaster	PM	10.27	9.06	10.18	17.77	13.10	16.35	100
---	---------------------	----	-------	------	-------	-------	-------	-------	-----

\*Shut down

### C. Location: HPL ETP Outlet

		Monthly Average concentration									
SI. No.	Parameters	Oct'24	Nov'24	Dec'24	Jan'25	Feb'25	March'25	Permissible limits as per SPCB			
1	TSS	70.38	89.57	74.06	86.28	88.38	91.38	0 - 100.0 mg			
	рН	7.58	8.55	7.8	8.78	7.8	7.3	5.5 - 9.0 pH			